

	Hits	Search Text	DBs
1	1749	license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
2	939	S1 and regist\$6	US-PGPUB; USPAT
3	8	generating ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
4	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
5	54	S4 and regist\$6	US-PGPUB; USPAT
6	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
7	6790052	S6 and regist\$6 @pd< "20010909"	US-PGPUB; USPAT
8	6790052	S7 @pd < "20010909"	US-PGPUB; USPAT
9	54	S6 and regist\$6	US-PGPUB; USPAT
10	9	S10 and @pd < "20010909"	US-PGPUB; USPAT
11	54	S6 and regist\$6	US-PGPUB; USPAT
12	9	S10 and @pd < "20010909"	US-PGPUB; USPAT
13	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
14	54	S13 and regist\$6	US-PGPUB; USPAT
15	9	S14 and @pd < "20010909"	US-PGPUB; USPAT
16	5	S15 and server	US-PGPUB; USPAT
17	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
18	54	S17 and regist\$6	US-PGPUB; USPAT
19	9	S18 and @pd < "20010909"	US-PGPUB; USPAT
20	5	S19 and server	US-PGPUB; USPAT
21	0	S20 and cluster	US-PGPUB; USPAT
22	3	S20 and servers	US-PGPUB; USPAT
23	3	S22 and network	US-PGPUB; USPAT
24	1	S22 and (expir\$7 adj date)	US-PGPUB; USPAT
25	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
26	54	S25 and regist\$6	US-PGPUB; USPAT
27	9	S26 and @pd < "20010909"	US-PGPUB; USPAT
28	5	S27 and "serial number"	US-PGPUB; USPAT
29	2388444	S27 and "serial number" or hardware serial number	US-PGPUB; USPAT

30	93	S27 and "serial number" or "hardware serial number"	US-PGPUB; USPAT
----	----	--	-----------------

	Hits	Search Text	DBs
31	5	S27 and ("serial number" or "hardware serial number")	US-PGPUB; USPAT
32	0	S27 and "hardware serial number"	US-PGPUB; USPAT
33	2	S27 and (hardware same "serial number")	US-PGPUB; USPAT
34	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
35	54	S34 and regist\$6	US-PGPUB; USPAT
36	9	S35 and @pd < "20010909"	US-PGPUB; USPAT
37	1	S36 and (license adj upgrade)	US-PGPUB; USPAT
38	1	S36 and (license adj upgrade)	US-PGPUB; USPAT
39	9	S36 and license and ((further or more) adj capabilit\$6 or funct\$6)	US-PGPUB; USPAT
40	0	S36 and license and ((further or more) adj (capabilit\$6 or funct\$6))	US-PGPUB; USPAT
41	0	S36 and XML	US-PGPUB; USPAT
42	10	(electronic adj license) and XML	US-PGPUB; USPAT
43	0	(electronic adj license) and XML and @pd < "20010909"	US-PGPUB; USPAT
44	0	(electronic adj license) and XML and @pd < "20010909"	US-PGPUB; USPAT
45	13	license and XML and @pd < "20010909"	US-PGPUB; USPAT
46	2	S36 and root	US-PGPUB; USPAT
47	5	S40 and server	US-PGPUB; USPAT
48	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
49	54	S49 and regist\$6	US-PGPUB; USPAT
50	9	S50 and @pd < "20010909"	US-PGPUB; USPAT
51	0	S51 and (regist\$5 ADJ5 command\$5)	US-PGPUB; USPAT
52	9	S51 and license and ((further or more) adj capabilit\$6 or funct\$6)	US-PGPUB; USPAT
53	3	S53 and servers and network	US-PGPUB; USPAT
54	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
55	54	S55 and regist\$6	US-PGPUB; USPAT
56	8	S57 and hardware	US-PGPUB; USPAT
57	3	S57 and hardware and restric\$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
58	8	S57 and hardware and license\$5	US-PGPUB; USPAT
59	6	S57 and (hardware same license\$5)	US-PGPUB; USPAT
60	9	S56 and @pd < "20010909"	US-PGPUB; USPAT
61	8	S57 and hardware	US-PGPUB; USPAT
62	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
63	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
64	54	S64 and regist\$6	US-PGPUB; USPAT
65	6790051	S65 and field @pd < "20010909"	US-PGPUB; USPAT
66	8	S65 and field and @pd < "20010909"	US-PGPUB; USPAT
67	1	"6188995".pn.	USPAT
68	73	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	US-PGPUB; USPAT
69	54	S74 and regist\$6	US-PGPUB; USPAT
70	9	S75 and @pd < "20010909"	US-PGPUB; USPAT; EPO; JPO
71	0	S75 and @pd < "20010909"	EPO; JPO
72	0	S74 and regist\$6	EPO; JPO
73	5	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)	EPO; JPO
74	2	(generat\$6 or issu\$6) ADJ license same (subroutine or subcode or module or object)and @pd < "20010909"	EPO; JPO
75	4	(generat\$6 or issu\$6) with license same (subroutine or subcode or module or object)and @pd < "20010909"	EPO; JPO
76	1361	software adj commands	US-PGPUB; USPAT
77	0	S82 with license	US-PGPUB; USPAT
78	17	S82 and license	US-PGPUB; USPAT
79	14	S84 and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT

	Hits	Search Text	DBs
80	13	(electronic adj license).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
81	0	S86 and (software adj commands)	US-PGPUB; USPAT
82	1	S86 and (commands)	US-PGPUB; USPAT
83	2	S86 and (software adj license)	US-PGPUB; USPAT
84	13	S86 and license	US-PGPUB; USPAT
85	12	S90 and regist\$6	US-PGPUB; USPAT
86	2	S91 and (string same identifier)	US-PGPUB; USPAT
87	2	S86 and (software adj3 license)	US-PGPUB; USPAT
88	19	(electronic adj3 license).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
89	12	S91 and license	US-PGPUB; USPAT
90	2	S95 and string	US-PGPUB; USPAT
91	1	S95 and commands	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	2802	(software adj3 commands) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
93	1166	(software adj commands) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
94	0	S99 and (electronic adj license)	US-PGPUB; USPAT
95	14	S99 and license	US-PGPUB; USPAT
96	5	S100 and identifier	US-PGPUB; USPAT
97	0	S100 and (identifier same string)	US-PGPUB; USPAT

	Hits	Search Text	DBs
98	3761	(inclusion same exclusion) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
99	1404	S104 and software	US-PGPUB; USPAT
100	312	S105 and commands	US-PGPUB; USPAT
101	158	S106 and identifier	US-PGPUB; USPAT
102	10	S107 and licens\$5	US-PGPUB; USPAT
103	10	(inclusion adj identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
104	0	S109 and xml	US-PGPUB; USPAT
105	89	S104 and xml	US-PGPUB; USPAT
106	39	S111 and commands	US-PGPUB; USPAT
107	22	S112 and identifier	US-PGPUB; USPAT
108	22	S113 and inclusion and exclusion	US-PGPUB; USPAT
109	22	S114 and name	US-PGPUB; USPAT
110	4	S114 and (inclusion same xml)	US-PGPUB; USPAT
111	0	S116 and license	US-PGPUB; USPAT
112	386	S104 and commands	US-PGPUB; USPAT
113	39	S118 and xml	US-PGPUB; USPAT
114	18	S119 and string	US-PGPUB; USPAT
115	0	S120 and (command near3 name)	US-PGPUB; USPAT
116	0	S119 and (command near3 name)	US-PGPUB; USPAT
117	18	S120 and name	US-PGPUB; USPAT
118	18	S123 and inclus\$5 and exclus\$5	US-PGPUB; USPAT
119	0	S126 and (inclusion same exclusion same identifier)	US-PGPUB; USPAT
120	111	S125 and register\$6	US-PGPUB; USPAT
121	11	S125 and (license near10 upgrade)	US-PGPUB; USPAT
122	21	(inclusion same exclusion same identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
123	2	S128 and licensing	US-PGPUB; USPAT
124	10	S125 and (licens\$6 same part same register\$6)	US-PGPUB; USPAT

	Hits	Search Text	DBs
125	206	(licensing).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
126	54	(licens\$6 same part same software same register\$6) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
127	13	S131 and licens\$6.ab.	US-PGPUB; USPAT
128	54	S131 and licens\$6	US-PGPUB; USPAT
129	4	(selectiv\$6 near5 licens\$6 near10 (portion or part)) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
130	75	(selectiv\$6 near5 licens\$6) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
131	1	S137 and (license near10 upgrade)	US-PGPUB; USPAT
132	68	(licens\$6 and register\$6).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
133	4	(licens\$6 and upgrade).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
134	0	"20010013099" and (licens\$6 and customiz\$6 or upgrad\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
135	25	(licens\$6 and customiz\$6).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
136	2	S141 and (licens\$6 near20 upgrad\$6)	US-PGPUB; USPAT
137	0	S141 and (inclusion and exclusion and identifier)	US-PGPUB; USPAT
138	0	S141 and (inclusion and exclusion)	US-PGPUB; USPAT
139	0	(inclusion and exclusion and identifier).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
140	2	S142 and customiz\$6	US-PGPUB; USPAT
141	23	(inclusion same exclusion same identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
142	0	S148 and licens\$6.ab.	US-PGPUB; USPAT
143	2	S148 and licens\$6	US-PGPUB; USPAT
144	1767	(inclusion and exclusion and identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
145	25	S151 and customiz\$6	US-PGPUB; USPAT
146	0	((inclusion and exclusion) adj2 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT



	Hits	Search Text	DBs
147	63	(inclusion adj2 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
148	0	S154 and (exclusion adj2 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
149	25	(licens\$6 and customiz\$6).ab. and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
150	0	S154 and (exclusion adj5 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
151	0	S154 and (exclusion near10 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
152	0	S154 and (exclusion near20 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
153	2	(inclusion same exclusion same identifier same (software or command)) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT

	Hits	Search Text	DBs
154	0	S154 and (exclusion near30 identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
155	8	(inclusion same exclusion same identifier same (software or command\$6 or program\$6)) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT
156	0	S154 and (exclusion same identifier) and (@pd<"20011009" or @ad<"20011009" or @rlad<"20011009" or @prad<"20011009" or @rlpd<"20011009")	US-PGPUB; USPAT